



P14LR

LED
Panel Lights



**AimLite**




P14LR

LED

Panel Lights

aluminum frame
120-277V and 347V
3510 lm to 4970 lm
0-10V dimming is standard
80+ CRI
over 50,000 hours to L70



5 layer light guide for better uniformity and anti-yellowing

Cover

UV foam cotton

Reflective paper

PET material, 95% reflectance, anti-erosion, oxidation resistance, no color fading over time

Light guide


3mm MITSUBISHI LIGHT GUIDE PLATE

Diffuser plate

Polystyrene (over 90% transmittance)

Aluminum frame and PCB

Backlit display




Our new LED panel lights available with custom made high quality digital print are the perfect solution to your advertising needs.

Environmentally friendly

Energy efficient

Super bright

1'x4' 

2'x2' 

2'x4' 

Recessed inverted T-Bar ceilings, grid mount.
Dry wall, surface and suspension kits available as option.




standard integrated earthquake clips


 3000K

 3500K

 4000K

 5000K

Schools
Offices
Hospitals
Medical offices
Hallways
Workshops



AimLite

AIMLITE Inc. • 2233 Rue de l'Aviation, Dorval, QC H9P 2X6
T. 1-866-348-2374, F. 1-866-670-3975 • www.aimlite.com



aim-P14LR-en-r02