A city skyline at dusk, featuring several tall buildings with lit windows. A large red diagonal shape overlays the lower half of the image, creating a split background of red and dark blue/black.

PRODUCT SELECTION GUIDE

 AimLite

YOUR TRUSTED PARTNER

ABOUT US

We are committed to always offer products that meet our customers' requirements and expectations. Thanks to this commitment we have developed a successful business over the years.

Our ISO/IEC 17025 certified laboratory is qualified by CSA International under the CPC (Certification by Category) program which allows us to conduct safety and performance evaluations and to perform over 100 different tests on our products. This allows AimLite to certify new custom products quickly and launch to the market.

AimLite's target is to maintain and improve its quality through programs that enable employees to do their job right the first time and use the best suppliers that share these same values.

Our team consists of some of the most knowledgeable and recognizable people in the Canadian emergency and lighting industry.

NEW PRODUCT DEVELOPMENT

Our engineering and marketing team is composed of specialists ranging from a variety of technical backgrounds which allows us to develop a multitude of new products to meet today's market needs and requirements. Our focus is to design innovative products at a competitive price to set ourselves ahead of our competition while maintaining industry standards such as long life and energy efficiency.

CUSTOMER SATISFACTION

Customer satisfaction is the company's main priority: we want to be our customers' preferred supplier.

Our customer service department is comprised of highly trained, knowledgeable and bilingual sales representatives whose only goal is to meet the needs of the customers. Sales staffs are continuously trained to keep them abreast of the latest lighting trends, technologies and developments so they may actively serve customers, resolve issues, initiate changes, and teach co-workers.

Our technicians have extensive academic and practical experience with degrees in engineering and administration, allowing us to offer technical support in the retail, distribution and manufacturing sectors.

AimLite's management is dedicated to its customers, employees and safety.

LEGEND



BRIDGE
EMERGENCY LIGHTING
LUMINAIRE
REMOTE NORMALLY ON



HAZARDOUS
LOCATION



NUCLEUS
COMPATIBLE







QUICK SHIP PRODUCTS

**AVAILABLE & READY TO GO
FOR ALL YOUR RUSH PROJECTS**

AimLite offers a wide range of products ready to go for all your projects needs.
Ordering AimLite's Quick Ship items has never been easier. Just place your order and
receive your items in a matter of days.
Product availability is subject to change without notice. Please contact your AimLite cus-
tomer service representative to confirm lead time at time of order.



QUICKSHIP







EMERGENCY LIGHTING

SIGNS



RPSTUMWHT-UNVDC
RPSTUMWHT-BAT1

RM STEEL U-FACE LED UNVDC WHT
RM STEEL U-F LED BAT 120MIN WHT

8740460070251
8740460091812



RPSPUWHT-UNVDC
RPSPUWHT-BAT

RM PLASTIC UF WH UDC 120/277/347
RM PLASTIC UF WH IB 120/277/347

8740460083800
8740460083817



RPNPUWHT-UNVDC-S
RPNPUWHT-BAT1-T

RM PLASTIC UF WH UDC 120-347VAC
RM PLASTIC UF WH IB 120MIN 120-347VAC

069549028685
753454004215



REMC-UNVDC
RMEC-BAT1

RM EDGE-LIT UF WHT UDC 120-347-VAC
RM EDGE-LIT UF WHT IB 120 MIN 120-347 VAC

753454005352
753454005369

COMBOS



CPRNP-2HI

RM CMB PLAS UF WH 3.6V 2X2W LED

069549028708



CSRP-2L
CSRP-3L
CSRP12-2L
CSRP0636UM-2SM9TWH

RM COMBO ST 6V36W 2 PAR18 2W LED
RM COMBO 6V 36W 2 PAR18 3W LED
RM COMBO 12V 72W W/ 2 PAR18 2.5W LED
RM COMBO ST 6V36W 2 PAR18 9W TUNGSTEN

8740460080274
753454000163
8740460080311
8740460070299

BATTERY UNITS



EBST-2L
EBST-3L
EBST12-2L

BATT. 6V 36W W/2 PAR 18 2 WATT LED
BATT 6V 36W W/2 PAR18 3W LED
BATT. 12V 72W W/2 PAR18 2.5W LED

8740460080267
753454000156
8740460080281



EBST06036-2SM09T
EBST06072-2SM09T
EBST12036-2SM09T
EBST12072-2SM09T

BATT.UNIT 6V 36W W/2PAR18 09WT
BATT.UNIT 6V 72W W/2PAR18 09WT
BATT.UNIT12V 36W W/2PAR18 09WT
BATT.UNIT12V 72W W/2PAR18 09WT








8740460080045
8740460080069
8740460083787
8740460080106



EBST12100-2SM09T


BATT.UNIT12V100W W/2PAR18 09WT

8740460080113

	EBST12160-2SM09T	BATT.UNIT12V160W W/2PAR18 09WT	8740460080120
	EBST12200-2SM09T	BATT.UNIT12V200W W/2PAR18 09WT	8740460080137
	EBST12250-2SM09T	BATT.UNIT12V250W W/2PAR18 09WT	8740460080144
	EBST12360-2SM09T	BATT.UNIT12V360W W/2PAR18 09WT	8740460080151
	EBPC-2L	BATT. PLASTIC. 6V 30W W/2 PAR18 2W LED	8740460069163
REMOTES			
	RMSM1-06V09WT	HEAD 06V09WT C/W CANOPY	8740460090013
	RMSM1-12V09WT	HEAD 12V09WT C/W CANOPY	8740460090037
	RMSM1-24V09WT	HEAD 24V09WT C/W CANOPY	8740460070831
	RMSM1-12V12WQ	HEAD 12V12WQ C/W CANOPY	8740460090167
	RMSM1-24V12WQ	HEAD 24V12WQ C/W CANOPY	8740460070862
	RMSM2-06V09WT	HEADS 06V09WT C/W CANOPY	8740460090020
	RMSM2-12V09WT	HEADS 12V09WT C/W CANOPY	8740460090044
	RMSM2-24V09WT	HEADS 24V09WT C/W CANOPY	8740460070879
	RMSM2-12V12WQ	HEADS 12V12WQ C/W CANOPY	8740460070893
	RMSM2-24V12WQ	HEADS 24V12WQ C/W CANOPY	8740460070909
	RMSM1-06V2WLJWHT	HEAD PAR18 6V LED 2W C/W CANOPY	8740460090136
	RMSM1-12V2WLJWHT	HEAD PAR18 12V LED 2W C/W CANOPY	8740460083763
	RMSM1-06-12V3WLJ	HEAD PAR18 6V TO 12V LED 3W C/W CANOPY	753454000170
	RMSM1-06-12V4WLJ	HEAD PAR18 06-12V LED 4W WHITE	753454000361
	RMSM2-06V2WLJWHT	HEADS PAR18 6V LED 2W C/W CANOPY	8740460090143
	RMSM2-12V2WLJWHT	HEADS PAR18 12V LED 2W C/W CANOPY	8740460083770
	RMSM2-06-12V3WLJ	HEADS PAR18 6V TO 12V LED 3W C/W CANOPY	753454000187
	RMSM2-06-12V4WLJ	HEADS PAR18 06-12V LED 4W WHT	753454000378
	RMMD1-06-24V4WLRWH	HEAD MR16 DIE CAST REMOTE 6-24V 4WLR WHITE	8740460070916
	RMMD2-06-24V4WLRWH	HEADS MR16 DIE CAST REMOTE 6-24V 4WLR WHITE	8740460070923



WAY2GO SERIES



LED



QUICKSHIP

**DURATION OF OVER 3 HOURS
6V 27 OR 36W UNITS**



STEEL COMBO

CSRP-2L
6V 36W
2X 2W LED

CSRP-3L
6V 36W
2X 3W LED



STEEL BATTERY UNIT

EBST-1L
6V 27W
2X 2W LED

EBST-2L
6V 36W
2X 2W LED

EBST-3L
6V 36W
2X 3W LED



PLASTIC BATTERY UNIT

EBPC-2L
6V 27W
2X 2W LED

DURATION OF OVER 8 HOURS 12V 72W UNITS

- 2 X 2.5W LED heads with lifetime limited warranty*
- LED heads equivalent to 2 X 20W MR16 lamps



CSR12-2L
STEEL COMBO
12V 72W
2X 2.5W LED



EBST12-2L
STEEL BATTERY UNIT
12V 72W
2X 2.5W LED

UNIVERSAL 6VDC TO 12VDC REMOTES

**NO MORE NEED TO CARRY
2 VOLTAGES IN STOCK**

- Crisp white 2W or 3W LEDs
- Limited lifetime warranty*



RMSM1-06-12V3WLJ
RMSM1-06V2WLJWHT
RMSM1-12V2WLJWHT
UP TO 38 FT
SPACING FOR AN 8 FT
MOUNTING HEIGHT



RMSM2-06-12V3WLJ
RMSM2-06V2WLJWHT
RMSM2-12V2WLJWHT
UP TO 78 FT
SPACING FOR AN 8 FT
MOUNTING HEIGHT




DESIGN SPACING GUIDELINE

SPACING GUIDELINE FOR REMOTE HEADS, BATTERY UNITS AND COMBO SIGNS

PHOTOMETRY PERFORMANCE

LED			DEDICATED HEAD	LUMEN OUTPUT [LM]	EFFICIENCY [LM/W]
2W	6V, 12V	LJ ¹	RMSM	126	63
2.5W	12V	LJ ¹	RMSM	183	73
3W	6-12V	LJ ¹	RMSM	313	104
4W	6-12V	LJ ¹	RMSM	330	82
5W	6-12V	LJ ¹	RMSM	591	118
4W	24V	LR ²		320	80
5W	24V	LA ²		438	87
6W	12-24V	LA ²		505	84
7W	12-24V	LA ²		631	90
5W	12-24V	LJ ³	RMHO	630	126
9W	12-24V	LJ ³	RMHO	1 100	122
14W	12-24V	LJ ³	RMHO	1 480	104

8' MOUNTING HEIGHT




¹ Lamps are only available with the RMSM head

² Available in multiple heads. Refer to spec sheet


³ Lamps are only available with RMHO head

DESIGN SPACING GUIDELINE

10' MOUNTING HEIGHT



15' MOUNTING HEIGHT



¹ Lamps are only available with the RMSM head

² Available in multiple heads. Refer to spec sheet

³ Lamps are only available with RMHO head

REMOTE LOADS GUIDELINE

BATTERY UNITS COMPLETE WITH LED HEADS¹

MODEL	VOLTS [V]	WATTAGE CAPACITIES (W)															
		TIME [MINS]															
		30	60	90	120	150	180	210	240	270	300	330	360	390	420	450	480
EBST-2L [4W ALREADY LOADED]	6	32	16	11	8	6	5	4	0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
EBST12-2L [5W ALREADY LOADED]	12	67	33.5	22.3	17	13	11	9.5	8	7.5	6.7	6	5.5	5	5	5	5

STANDARD BATTERY UNIT¹

MODEL	VOLTS [V]	WATTAGE CAPACITIES (W)			
		TIME [MINS]			
		30	60	90	120
EBST-06036	6	36	18	12	9
EBST-06050	6	50	25	16	12
EBST-06072	6	72	36	24	18
EBST-06100	6	100	50	33	25
EBST-06160	6	160	80	53	40
EBST-06180	6	180	90	60	45
EBST-12036	12	36	18	12	9
EBST-12050	12	50	25	16	12
EBST-12072	12	72	36	24	18
EBST-12100	12	100	50	33	25
EBST-12144	12	144	72	48	36
EBST-12160	12	160	80	53	40
EBST-12200	12	200	100	66	50
EBST-12250	12	250	125	83	62
EBST-12360	12	360	180	120	90
EBST-24144	24	144	72	48	36
EBST-24200	24	200	100	66	50
EBST-24320	24	320	160	106	80
EBST-24350	24	350	175	116	87
EBST-24550	24	550	275	183	137
EBST-24720	24	720	360	240	180

LOAD PER LED SIGN WHEN USING UNVDC

MODEL	MAX WATTAGE DRAW [W]
RPSP	2.1
RPNP	2.75
RPST	1.9
RPALW	1.9
RPEL	2.6
RPN	1.2

PLASTIC REMOTE HEAD

MODEL	MAX WATTAGE DRAW [W]
RMSM	2
	2.5
	3
	4
	5
	6
	7

¹ Please ensure you allow 20% when loading battery unit capacity.

You want to leave about 20% gap between the capacity of the battery and the amount of load you attach to it in order to maximize the life cycle of the battery.

SCENARIO 1

30 MINUTES RUN TIME REQUIREMENT



1X EBST-2L
6 V 36 W WITH 2X 2 W LED HEADS MOUNTED TO THE BATTERY
TOTAL CAPACITY: 36 W

-20% SUGGESTED USABLE CAPACITY: 28.8 W



2 LED HEADS	2X RPNP SERIES SIGNS	6X RMSM1
2 W PER HEAD	2.75 W PER SIGN	3 W PER REMOTE HEAD
4 W	5.5 W	18 W

TOTAL LOAD CONNECTED TO THE BATTERY UNIT = 27.5 W
REMAINING SUGGESTED CAPACITY = 1.3 W

SCENARIO 2

120 MINUTES RUN TIME REQUIREMENT



6X EBST12250-2SM5LA
12 V 250 W WITH 2X 5 W LED HEADS MOUNTED TO THE BATTERY
TOTAL CAPACITY: 6X 250 W = 1 500 W

-20% SUGGESTED USABLE CAPACITY:
6X 200 W = 1 200 W



6X 2 LED HEADS	10X RPNP SERIES SIGN	20X RMSM2
5 W PER HEAD	2.75 W PER SIGN	10 W PER DOUBLE REMOTE HEAD
60 W	27.75 W	200 W

TOTAL LOAD CONNECTED TO THE BATTERY UNIT = 287.75 W



INDOOR LIGHTING

HIGH BAY



HBRV-PS150-32/3C-B ROUND LED HIGH BAYS 120-347V 16000-24000LM 100/120/150W 35K/40K/50K BLACK HOUSING 753454005199
HBRV-PS150-32/3C-W ROUND LED HIGH BAYS 120-347V 16000-24000LM 100/120/150W 35K/40K/50K WHITE HOUSING 753454005137
HBRV-PS240-32/3C-B ROUND LED HIGH BAYS 120-347V 32000-36000LM 200/240W 35K/40K/50K BLACK HOUSING 753454005205



R21H-LA1-2/40K ROUND LED INDUSTRIAL HIGHBAYS 120-277V 13465LM 100W 4000K 069549019140
R21H-LA1-2/50K ROUND LED INDUSTRIAL HIGHBAYS 120-277V 13524LM 100W 5000K 069549019157
R21H-LA2-2/40K ROUND LED INDUSTRIAL HIGHBAYS 120-277V 20315LM 151W 4000K 069549019164
R21H-LA2-2/50K ROUND LED INDUSTRIAL HIGHBAYS 120-277V 20487LM 151W 5000K 069549019171
R21H-LA3-2/40K ROUND LED INDUSTRIAL HIGHBAYS 120-277V 27069LM 202W 4000K 069549019188
R21H-LA4-2/40K ROUND LED INDUSTRIAL HIGHBAYS 120-277V 31851LM 239W 4000K 069549019201
R21H-LA4-2/50K ROUND LED INDUSTRIAL HIGHBAYS 120-277V 32086LM 239W 5000K 069549019218
R21H-LA5-2/50K ROUND LED INDUSTRIAL HIGHBAYS 120-277V 37376LM 243W 5000K 069549019232
R21H-PS150-32/2C ROUND LED INDUSTRIAL HIGHBAYS 120-347V 16672-22361LM 100/120/150W 4000/5000K 69549019393
R21H-PS200-32/2C ROUND LED INDUSTRIAL HIGHBAYS 120-347V 25149-29319LM 150/200W 4000/5000K 69549019409
R21H-PS240-32/2C ROUND LED INDUSTRIAL HIGHBAYS 120-347V 28938-35816LM 200/240W 4000/5000K 69549019416



R19H-LA1-2/50K RHB 120-277V 15401L 50K 753454001115
R19H-LA1-8/40K RHB 347V 15328L 40K 753454001795
R19H-LA2-8/40K RHB 347V 22563L 40K 753454001818
R19H-LA2-8/50K RHB 347V 22802L 50K 753454001825
R19H-LA3A-2/40K RHB 120-277V 27341L 40K 753454002730
R19H-LA3A-2/50K RHB 120-277V 27737L 50K 753454002747
R19H-LA3A-8/40K RHB 120-277V 27000L 40K 753454002754
R19H-LA3-8/40K RHB 347V 30818L 40K 753454001832
R19H-LA3-2/50K RHB 120-277V 33188L 50K 753454001153
R19H-LA4-8/50K RHB 347V 36012L 50K 753454001863
R19H-LA4-2/40K RHB 120-277V 37437L 40K 753454001160
R19H-LA4-2/50K RHB 120-277V 37911L 50K 753454001177



E5H-24LA1-32/40K LINEAR LED HIGHBAYS 2FT 120-347V 11475LM 85W 4000K 753454003553
E5H-24LA1-32/50K LINEAR LED HIGHBAYS 2FT 120-347V 11560LM 85W 5000K 753454003560
E5H-24LA2-32/40K LINEAR LED HIGHBAYS 2FT 120-347V 17550LM 130W 4000K 753454003577
E5H-24LA2-32/50K LINEAR LED HIGHBAYS 2FT 120-347V 17680LM 130W 5000K 753454003584
E5H-24LA3-32/40K LINEAR LED HIGHBAYS 2FT 120-347V 22950LM 170W 4000K 753454003591
E5H-24LA3-32/50K LINEAR LED HIGHBAYS 2FT 120-347V 23120LM 170W 5000K 753454003607
E5H-24LA4-32/40K LINEAR LED HIGHBAYS 2FT 120-347V 28350LM 210W 4000K 753454003614
E5H-24LA4-32/50K LINEAR LED HIGHBAYS 2FT 120-347V 28560LM 210W 5000K 753454003621
E5H-48LA1-32/40K LINEAR LED HIGHBAYS 4FT 120-347V 34680LM 255W 4000K 753454003638
E5H-48LA1-32/50K LINEAR LED HIGHBAYS 4FT 120-347V 34425LM 255W 5000K 753454003645
E5H-48LA2-32/40K LINEAR LED HIGHBAYS 4FT 120-347V 40723LM 300W 4000K 753454003652
E5H-48LA2-32/50K LINEAR LED HIGHBAYS 4FT 120-347V 41140LM 300W 5000K 753454003669
E5H-48LA3-32/50K LINEAR LED HIGHBAYS 4FT 120-347V 53607LM 400W 5000K 753454003683

WRAP / STRIP



W13GM-48-1
W13GM-24-1-G2
W13GM-48-1-G2
W13GM-48-3C-G2
W13GM-24HD-3C-G2

LED WRAP 4FT 100-277 48W 4000K 5043LM
LED LINKABLE WRAP 2FT 120-277V 25W 40K
LED LINKABLE 4FT WRAP 120-277V 48W 40K
LED LINKABLE WRAP 120-277V 44W 30/40/50K
2FT LINKABLE WRP HD 120277 44W 30/40/50K

8740460086061
753454003188
753454001498
753454004680
753454004796



W18NS-48-1-G2

LED WRAP 4FT 38W 120-277V 40K

753454003058



W5NS-48LA1-2/40K

LED WRAP 4FT 34W 4420L 120-277V 40K

8740460087013



S20SS-24LA1-32/40K
S20SS-48LA1-32/40K
S20SS-48LA2-32/40K
S20SS-96LA1-32/40K
S20SS-96LA2-32/40K

SLIM STRIP 2FT 20W 120-347V 40K
SLIM STRIP 4FT 30W 120-347 40K
SLIM STRIP 4FT 45W 120-347V 40K
SLIM STRIP 8FT 75W 120-347V 40K
SLIM STRIP 8FT 90W 120-347V 40K

753454004253
753454004260
753454004277
753454004284
753454004291



S20SQ-48LA2-32/3C
S20SQ-96LA2-32/3C

4' SLIM STRIP SQUARE 45W 120347V 35/4/5K
8' SLIM STRIP SQUARE 90W 120347V 35/4/5K

753454004307
753454004314



S20TR-24LA1-32/3C
S20TR-36LP30-32/3C
S20TR-48LP40-32/3C
S20TR-48LP45-32/3C
S20TR-48LA2-32/3C
S20TR-96LP90-32/3C

2FT SENSOR STRIP 20W 35/40/50K 120-347V
3FT SENSOR STRIP 18/25/30W 35/40/50K 120-347V
4FT SENSOR STRIP 25/30/40W 35/40/50K 120-347V
4FT SENSOR STRIP 34/38/45W 35/40/50K 120-347V
4FT SENSOR STRIP 56W 35/40/50K 120-347V
8FT SENSOR STRIP 65/75/90W 35/40/50K 120-347V

753454004901
753454005267
753454004918
753454004840
753454004925
753454004932



S20RS-24LA1-32/3C
S20RS-36LP30-32/3C
S20RS-48LP40-32/3C
S20RS-48LP45-32/3C
S20RS-48LA1-32/3C
S20RS-48LA2-32/3C
S20RS-96LP90-32/3C

2FT STRIP 20W 35/40/50K 120-347V
3FT STRIP 18/25/30W 35/40/50K 120-347V
4FT STRIP 25/30/40W 35/40/50K 120-347V
4FT STRIP 34/38/45W 35/40/50K 120-347V
4FT STRIP 35W 35/40/50K 120-347V
4FT STRIP 56W 35/40/50K 120-347V
8FT STRIP 65/75/90W 35/40/50K 120-347V

753454004888
753454005250
753454004819
753454004826
753454006011
753454004895
753454004833


PANEL LIGHT



P14AR-1LPS35-32/3C
P14AR-2LP35P-32/3C
P14AR-4LP50P-32/3C

ARCTEC BCKLT PAN 1X4 25/30/35W 35/40/50K
 ARCTEC BCKLT PAN 2X2 25/30/35W 35/40/50K
 ARCTEC BCKLT PAN 2X4 30/40/50W 35/40/50K

753454004857
 753454004864
 753454004871



P14FR-1LPS40-32/4C
P14FR-2LPS40-32/4C
P14FR-4LPS50-32/4C

BACKLIT PANEL 1X4 20/30/40W 120-347V 30/35/40/50K
 BACKLIT PANEL 2X2 20/30/40W 120-347V 30/35/40/50K
 BACKLIT PANEL 2X4 30/40/50W 120-347V 30/35/40/50K

753454005076
 753454005083
 753454005090



P14BR-1LA1-32/40K
P14BR-2LA1-32/40K
P14BR-4LA1-32/40K
P14BR-1LPS40-32/3C
P14BR-2LPS-32/3C
P14BR-4LPS50-32/3C
P14BR-1LPSP-32/3C
P14BR-2LP40P-32/3C
P14BR-4LP50P-32/3C

BACKLIT PANEL 1X4 40W 120-347V 40K
 BACKLIT PANEL 2X2 40W 120-347V 40K
 BACKLIT PANEL 2X4 50W 120-347V 40K
 BACKLIT PANL 1X4 20/30/40W 35/40/50K DPD
 BL PAN 2X2 20/30/40W 120-347V 35/40/50K
 BACKLIT PANL 2X4 30/40/50W 35/40/50K DPD
 BACKLIT PANEL PR 1X4 20/25/30W 35/40/50K
 BACKLIT PANEL PR 2X2 20/30/40W 35/40/50K
 BACKLIT PANEL PR 2X4 30/40/50W 35/40/50K


753454001689
 753454001696
 753454001702
 753454004598
 753454001726
 753454004611
 753454002693
 753454004338
 753454004345



PF-DWK-1X4-A
PF-DWK-2X2-A
PF-DWK-2X4-A

DRYWALL KIT LED BACKLIT PANEL 1X4
 DRYWALL KIT LED BACKLIT PANEL 2X2
 DRYWALL KIT LED BACKLIT PANEL 2X4

753454003355
 753454003362
 753454003379



CAS973-1
CAS973-2
CAS973-3

SURFACE MOUNT KIT LED BACKLIT PANEL 1X4
 SURFACE MOUNT KIT LED BACKLIT PANEL 2X2
 SURFACE MOUNT KIT LED BACKLIT PANEL 2X4

753454001740
 753454001757
 753454001764



KIT-SUS-CH
JB024-BP
JB027-BP

SUSPENSION KIT LED BACKLIT PANEL
 JUNCTION BOX BACKLIT PNL 5.5X4.3X1.26IN
 JUNCTION BOX BACKLIT PNL GEN 2

753454002402
 753454002419
 753454004772

CENTER BASKET



C2AR-1LPS30P-32/3C
C2AR-2LPS35P-32/3C
C2AR-4LPS45P-32/3C

LED BSKT 1X4 120347V 20/25/30W 35/40/50K
 LED BSKT 2X2 120347V 25/30/35W 35/40/50K
 LED BSKT 2X4 120347V 34/38/45W 35/40/50K

753454004697
 753454004703
 753454004710






C2AR-1
C2AR-2
C2AR-3
C2AR-4
C2AR-5
C2AR-6

LED BASKET 1X4 4294LM 80CRI 35K 120-277V
 LED BASKET 1X4 4515LM 80CRI 40K 120-277V
 LED BASKET 2X2 4243LM 80CRI 35K 120-277V
 LED BASKET 2X2 4410LM 80CRI 40K 120-277V
 LED BASKET 2X4 4419LM 80CRI 35K 120-277V
 LED BASKET 2X4 4284LM 80CRI 40K 120-277V


8740460083244
 8740460083251
 8740460083268
 8740460083275
 8740460083282
 8740460083299

LINEAR ARCHITECTURAL



	AUS-G2-4LA2-3C-WH	AUSO GEN2 4FT LS2 3C DIRECT W	753454002457
	AUS-G2-4LA2-3C-BK	AUSO GEN2 4FT LS2 3C DIRECT BK	753454002464
	AUS-G2-4LA2U-3C-WH	AUSO GEN2 4FT LS2 3C DIRECT/INDIRECT WH	753454002471
	AUS-G2-4LA2U-3C-BK	AUSO GEN2 4FT LS2 3C DIRECT/INDIRECT BK	753454002488
	AUS-G2-8LA1-3C-BK	AUSO GEN2 8FT LS1 3C DIRECT BK	753454002501
	AUS-G2-8LA1U-3C-WH	AUSO GEN2 8FT LS1 3C DIRECT/INDIRECT WH	753454002518
	AUS-G2-8LA1U-3C-BK	AUSO GEN2 8FT LS1 3C DIRECT/INDIRECT BK	753454002525
	KIT-CK2	CONT KIT FOR AUSO ROW MOUNTING GEN2	753454002532
	D19P-G2-4LA1-3C	D19P SUSPENDED LED 4FT 3CCT 120-277V WH	753454003935
	KAT-LA1-24/35K	T-GRID LED LINEAR 2FT 10W 35K 1260LM	753454003294
	KAT-LA1-24/40K	T-GRID LED LINEAR 2FT 10W 40K 1320LM	753454003300
	KAT-LA2-48/35K	T-GRID LED LINEAR 4FT 10W 35K 2540LM	753454003317
	KAT-LA2-48/40K	T-GRID LED LINEAR 4FT 10W 40K 2670LM	753454003324
	PSTG30W	30W POWER SUPPLY FOR 2FT TGRID	8740460015641
	PSTG60W	60W POWER SUPPLY FOR 4FT TGRID	8740460015658

VAPOR TIGHT

WIDE BODY

	VPE4-LA3B-32-3C	VPE4-L LED 4FT 120-347V 5379-5688LM 40W 35/40/50K	753454005304
	VPE4-LA4B-32-3C	VPE4-L LED 4FT 120-347V 8061-8441LM 60W 35/40/50K	753454005311
	VPE4-LA3-2/40K	VPE4 LED 4FT 40W 5200LM 120-277V 40K DIM1	8740460082742
	VPE4-LA3-2/40/DS1	VPE4 LED 4FT 40W 5200LM 120-277V 40K DS1	8740460086993
	VPE4-LA3-2/40/DS2	VPE4 LED 4FT 40W 5200LM 120-277V 40K DS2	8740460087006
	VPE4-LA3-2/50K	VPE4 LED 4FT 40W 5200LM 120/277V 50K DIM1	8740460083046
	VPE4-LA4-2/40K	VPE4 LED 4FT 60W 7900LM 120-277V 40K DIM1	8740460082759
	VPE4-LA4-2/50K	VPE4 LED 4FT 60W 7900LM 120/277V 50K DIM1	8740460083053

MEDIUM BODY

	VPL4-PS42B-32-3C	LED 4FT 30/35/42W 4351-5870LM 120-347V 3CCT	753454005144
	VPL4-PS65B-32-3C	LED 4FT 30/45/65W 4278-9001LM 120-347V 3CCT	753454005151
	VPL4-LA3-32/3C	VPL4-L LED 4FT 42W 5450LM 120-347V 3CCT	753454001443
	VPL4-LA4-32/3C	VPL4-L LED 4FT 65W 8550LM 120-347V 3CCT	753454001450
	VPL8-LA1B-32-3C	LED 8FT 120-347V 9622LM 65W 35/40/50K	753454005168
	VPL8-PS110B-32-3C	LED 8FT 65/75/90/110W 9796-16101LM 120-347V 3CCT	753454005175
	VPL8-LA1-32/40K	VPL8-L LED VT 8FT 120347V 8450L 40K	753454003409
	VPL8-LA1-32/50K	VPL8-L LED VT 8FT 120347V 8450L 50K	753454003416
	VPL8-LA1A-32/40K	VPL8-L LED VT 8FT 120347V 12600L 40K	753454002570
	VPL8-LA1A-32/50K	VPL8-L LED VT 8FT 120347V 12600L 50K	753454002587
	VPL8-LA3-32/40K	VPL8-L LED VT 8FT 120347V 15400L 40K	753454002594
	VPL8-LA3-32/50K	VPL8-L LED VT 8FT 120347V 15400L 50K	753454002600



OUTDOOR LIGHTING

WALL PACK



W3I-LA2B-2-3C-BR-P

LED Wall Packs 20W 2560-2921LM 120-277V
3000K/4000/5000K BRONZE

753454004079

W3I-LA2B-2-3C-WH-P

LED Wall Packs 20W 2560-2921LM 120-277V
3000K/4000/5000K WHITE

753454004086



W16A-LA1B-2-3CBRP

W16A-LA1B-2-3C-BR-P 120-277 2262LM 3C AM

753454003461



W16S-NS30-240KP127

WP 120-277V 4200LM 40K PHOTOCELL BRONZE

753454003065

W16S-NS30-250KP127

WP 120-277V 4300LM 50K PHOTOCELL BRONZE

753454003072

W16S-NS40-2-40K

WP 120-277V 6400LM 40K BRONZE

753454003089

W16S-NS40-2-50K

WP 120-277V 6034LM 50K BRONZE

753454003096

W16S-NS60-2-40K

WP 120-277V 8458LM 40K BRONZE

753454003102

W16S-NS60-2-50K

WP 120-277V 8611LM 50K BRONZE

753454003119

W16S-NS80-2-40K

WP 120-277V 11242LM 40K BRONZE

753454003126

W16S-NS80-2-50K

WP 120-277V 11446LM 50K BRONZE

753454003133

W16S-PS40-32-3C

WP 120-347V 5600LM 30/40/50K BRONZE

753454001184

W16S-PS100-32-3C

WP 120-347V 14000LM 30/40/50K BRONZE

753454001191

W16S-NS120-32-3C

WP 120-347V 17000LM 30/40/50K BRONZE

753454003140



W16S-LC2-2/40K

SMALL WPACK 4100LM 120-277V BZ 40K

8740460086832

W16S-LC2-8/40K

SMALL WPACK 4400LM 347V BZ 40K

8740460086849

W16S-LC2-8/50K

SMALL WPACK 4480LM 347V BZ 50K

8740460086900



WCS-PS60-32-3C-BK

WP 120-347V 4200-8400LM 3CCT BLACK

753454006028

WCS-PS80-32-3C-BK

WP 120-347V 5600-11200LM 3CCT BLACK

753454006035

WCS-PS60-32-3C-BR

WP 120-347V 4200-8400LM 3CCT BRONZE

753454006042

WCS-PS80-32-3C-BR

WP 120-347V 5600-11200LM 3CCT BRONZE

753454006059



W6C-PS60A3-323CBRP

W6C-PS60A3-32-3C-BR-P 3347-7380 WP

753454003492

W6C-PS100A3323CBRP

W6C-PS100A3-32-3C-BR-P 10000-13165 WP

753454003508



W20T-PS30A-323CBRP

W20T-PS30A-32-3C-BR-P 1950-3925 120-347

753454003911

W20T-PS80A-323CBRP

W20T-PS80A-32-3C-BR-P 6500-10429 120-347

753454003928



OVW-LA1-2-3C-BR

LED WALL PACK 1800LM 120-277V 3CCT BRONZE

753454005960

OVW-LA1-2-3C-BK

LED WALL PACK 1800LM 120-277V 3CCT BLACK

753454005953

OVW-LA1-2-3C-WH

LED WALL PACK 1800LM 120-277V 3CCT WHITE

753454005977

FLOOD LIGHT



SINGLE POWER AND SINGLE CCT


F12S-L1AM-2-4K-BR	FL 13127LM 7HX6V 120-277V 40K BRONZE	753454002778
F12S-L1AM-10-4K-BR	FL 13753LM 7HX6V 347-480V 40K BRONZE	753454002785
F12S-L1AM-2-5K-BR	FL 13255LM 7HX6V 120-277V 50K BRONZE	753454002877
F12S-L1AM-10-5K-BR	FL 13889LM 7HX6V 347-480V 50K BRONZE	753454002884
F12S-L2AM-2-4K-BR	FL 21316LM 7HX6V 120-277V 40K BRONZE	753454002792
F12S-L2AM-10-4K-BR	FL 20649LM 7HX6V 347-480V 40K BRONZE	753454002808
F12S-L2AM-2-5K-BR	FL 21518LM 7HX6V 120-277V 50K BRONZE	753454002891
F12S-L2AM-10-5K-BR	FL 20846LM 7HX6V 347-480V 50K BRONZE	753454002907
F12M-L3AM-2-4K-BR	FL 33728LM 7HX7V 120-277V 40K BRONZE	753454002815
F12M-L3AM-10-4K-BR	FL 31954LM 7HX7V 347-480V 40K BRONZE	753454002822
F12M-L3AM-2-5K-BR	FL 34040LM 7HX7V 120-277V 50K BRONZE	753454002914
F12M-L3AM-10-5K-BR	FL 32239LM 7HX7V 347-480V 50K BRONZE	753454002921
F12L-L4AM-2-4K-BR	FL 41709LM 7HX6V 120-277V 40K BRONZE	753454002839
F12L-L4AM-10-4K-BR	FL 40569LM 7HX6V 347-480V 40K BRONZE	753454002846
F12L-L4AM-2-5K-BR	FL 42098LM 7HX6V 120-277V 50K BRONZE	753454002938
F12L-L4AM-10-5K-BR	FL 40945LM 7HX6V 347-480V 50K BRONZE	753454002945
F12X-L5AM-2-4K-BR	FL 58000LM 7HX7V 120-277V 40K BRONZE	753454002853
F12X-L5AM-10-4K-BR	FL 57654LM 7HX7V 347-480V 40K BRONZE	753454002860
F12X-L5AM-2-5K-BR	FL 58000LM 7HX7V 120-277V 50K BRONZE	753454002952
F12X-L5AM-10-5K-BR	FL 58148LM 7HX7V 347-480V 50K BRONZE	753454002969

POWER AND CCT SELECTABLE

F12M-PS150M-2-3C8R	F12M-PS150M-2-3C-BR 7X7 120-277V 3CCT BZ	753454002976
F12X-PS300M-2-3C8R	F12X-PS300M-2-3C-BR 7X7 120-277V 3CCT BZ	753454002983



MOUNTING ACCESSORIES FOR F12 SERIES



CAS979-YOKE-S-BR	BRONZE YOKE FOR F12S-F12M	753454002990
CAS979-YOKE-L-BR	BRONZE YOKE FOR F12L-F12X	753454003003
CAS979-SWIVEL-BR	BRONZE SLIPFITTER	753454003010
CAS979-PAG-RNDSQBR	BRONZE SQUARE/ROUND POLE ARM	753454003027
CAS979-TRUNNION-BR	BRONZE TRUNNION	753454003034
KITCAS979-SW-AD-BR	BRONZE SLIPFITTER AND WALL MOUNT ADAPTER	753454003454

FLOOD LIGHT



MLF-PS25A-2-3CBRYK	FLOODS 15/25W 2137-3809lm 120-277V 3000/4000/5000K YOKE BRONZE	753454004994
MLF-PS25A-2-3CBRKN	FLOODS 15/25W 2137-3809lm 120-277V 3000/4000/5000K KNUCKLE BRONZE	753454005007
MLF-PS60A-23CBRYKP	FLOODS 35/60W 5381-8853lm 120-277V 3000/4000/5000K YOKE BRONZE	753454005014
MLF-PS60A-23CBRKNP	FLOODS 35/60W 5381-8853lm 120-277V 3000/4000/5000K KNUCKLE BRONZE	753454005021

UNDER CANOPY AND GARAGE LIGHT



UCL-PS70A-32-3CBRP	SQUARE LED CANOPY/GARAGE LIGHT 40/60/70W 4 800-9 288LM, 120-347V, 3000/4000/5000K BRONZE , PHOTOCELL INCLUDED CONTROL READY	753454005052
UCL-PS70A-32-3CWHP	SQUARE LED CANOPY/GARAGE 40/60/70W 4 800-9 288LM 120-347V, 3000/4000/5000K WHITE , PHOTOCELL INCLUDED CONTROL READY	753454005069

JAM JAR AND SECURITY LIGHTS



JAM-PS20A-32-3C-GY	JM 120-347V 1 253-2 501LM 3CCT GREY	753454005182
---------------------------	-------------------------------------	--------------



SDH-LA1B-4-3C-BR	SECURITY LIGHT 120V 1974LM 3CCT BRONZE	753454005571
SDH-LA1B-4-3C-WH	SECURITY LIGHT 120V 1974LM 3CCT WHITE	753454005588



PRODUCT GUIDE



EMERGENCY



INDUSTRIAL



COMMERCIAL



HAZARDOUS
LOCATION



ARCHITECTURAL



EMERGENCY LIGHTING

SIGNS

DELUGE - RPN	RPNX 	RPSP	RPSC	RPNP	RP10
					
RPDB	RPALW	RPST	RMEC	RPVR	RPEL
					
RPTE	RPWP	RPRC	RPHZ 	RPZN2 	
					

COMBOS

DELUGE- CRPN	CRPNX 	CRVE	CSRM1	CARPW	CPRNP-2HI
					
CDRP	CSRP-2L CSRP12-2L	CSRP	RPUB	CRRP	EB4R
					
CRPZN2	CRPHZ				
					

BATTERY UNITS

NUCLEUS



EBST-2L/EBST12-2L



EBTB



EBHZ




EBRC



EBST



EBQV



EBWL



EBS4



EBWD



DELUGE-EBN



EBIM-2



EBWP



EBNX



EBPC-2L



EBDT



EB1



EBPC-5L



EBZN2



REMOTES

RMSV



RMMB




RMHO



RMN



RMQV



AIMVC



RMNX



RMQVD



RMHZ



RMWL



RMMG



RMSM



RMMGR



RMMD



RMMW



EMERGENCY POWER CONVERSION MODULE

BRIDGE



PHOTOLUMINESCENT

AI723



RPTB



ZONE SENSING

ZNSC2



INVERTERS

EBST-MVP



NVJ



NVM



NVP



NVQ




NVR



ACCESSORIES

WGD WIREGUARDS & SHELVES



SPECIAL WORDING



OUTDOOR LIGHTING

WALL PACKS

W16A-L GEN2

LED



W6C

LED



W20T

LED



W16S-L GEN4

LED



W31-L GEN2

LED



OVA-L

LED



CYL

LED



FLOOD LIGHTS

F12 SERIES

LED



F16S-L

LED



MLF

LED



AREA LIGHTING

A11 SERIES

LED



A12K-L

LED



PST

LED



BOLLARDS

B15H-L

LED



B15A-L


LED



UNDER CANOPY & GARAGE

UCL-L

LED



JAM-L

LED



SDH-L

LED



VAPOR TIGHTS

VPL4-L GEN. 2

LED



VPL4-L GEN. 1

LED



VPL8-L GEN. 2

LED



VPL8-L GEN. 1

LED



VPE4-L GEN. 2

LED



VPE4-L GEN. 1

LED



VP2-L GEN. 2

LED



VP4-L GEN. 2

LED



VWP4-L GEN. 2

LED



VWP8-L GEN. 2

LED



WPFH-L GEN. 2

LED



WPFH-L GEN. 1

LED



VWX4-L

LED



VP2

FLUO



VP4

FLUO



VWP4

FLUO



VWP8

FLUO



VWX4

FLUO






















VP4T8332

FLUO








INDOOR LIGHTING

HIGH BAYS

HBRV LED 	R21H LED 	R19H LED 	HBBF-L LED 	WPFH-L GEN 2 LED 	WPFH-L GEN 1 LED 
H241-L LED 	H242-L LED 	H246-L LED 	H249-L LED 	H24S-L LED 	H24Z-L LED 
H24X-L LED 	H24C-L LED 	H24B-L LED 	H24D-L LED 	H24E-L LED 	H24F-L LED 
H24H-L LED 					

STRIPS

S20RS LED 	S20TR LED 	S20LS LED 	S20SS LED 	S20SQ LED 
--	--	--	--	--







WRAPS

W13GM	W18NS-L	W5NS
LED	LED	LED
		

CUBES

C21BS-L
LED


PANELS / CENTER BASKETS

P14AR	P14FR	P14BR	V2MR-L	C2AR-L	C2AR GEN 2
LED	LED	LED	LED	LED	LED
					

TRACK SYSTEM






AL22	AL94	AL96	AL9206	AWL02S-AWL02D	AG05N
LED	LED	LED	LED	LED	INC
					

AG07N	AG08N	AL10	AL95
INC	INC	INC	INC
			

LINEAR ARCHITECTURAL

ALUMBRA - D19P LED 	AUKIO GEN 2 - KIO LED 	AUKIO GEN 2 - KIOS LED 	AUKIO GEN 2 - KIOR LED 	AUSD - AUS-L LED 	AUSD - AUS-L GEN 2 LED 
KATTO LED 	NOKTA LED 				

RECESSED ARCHITECTURAL

A186 LED 	C186 LED 	R12R LED 	R19R LED 	R5C4-L LED 
---	---	---	--	---

HAZARDOUS

C4LA-L LED 	C24M LED 	C4F-L LED 	C4A-L LED 	C4L-L LED 
--	--	---	--	---

TERMS & CONDITIONS OF SALES

1. PRICING

Prices are subject to change without notice. In the event of a price increase all orders on hand will be filled at lower prices provided such orders are released from shipping prior to the price increase. If the orders are not released for shipment prior to the price increase, the orders will be billed at prices in effect at the time of the shipment. Minimum billing is 100\$ net.

2. MINIMUM ORDER

Minimum order is 100\$ net.

3. TAXES

Prices exclude taxes. GST & PST (where applicable) are not included in prices.

4. BACK ORDERS

All backorders will be cancelled after 3 months.

5. PAYMENT TERMS

All Aimlite payment terms are Net 30 days.

6. FREIGHT ALLOWANCE CANADA

Shipments are F.O.B our plant minimum prepaid \$1,250.00 for all major points within Canada except for poles and inverters over 1400 watts are prepaid and charged. All orders having a distributor price less than the minimum mentioned above will be assessed freight and handling charges. Special customer shipping requirements that cause additional shipping expenses above normal may be charged for the additional cost.

Special customer shipping requirements that cause additional shipping expenses above normal may be charged for the additional cost. Shipments to the USA for Canadian customers will be subject to duty and brokerage fees at the customer's expense.

7. TRANSPORTATION CLAIMS

All our products are factory tested to be free from defects prior to shipping. Title passes to purchaser upon delivery by us to transporter, and all claims for damages or shortages in transit shall be made by the purchaser with delivering transport company. Our customer service personnel will be glad to assist in any way in the advent that purchaser requires assistance.

8. RETURN OF MERCHANDISE

Merchandise may not be returned without prior written notice. Requests to return merchandise must be made within 60 days of receipt of goods. All returns must be shipped prepaid to Aimlite. Credit will be issued based on the original invoice price, or price in effect at time of return, whichever is lower, less minimum restocking charge of 35%. All non-stocking, special, custom made or modified versions of normal stocking items are not returnable.

9. CANCELLATION CHARGES

Orders for stocking items may be cancelled prior to shipping without charge. All other orders may not be cancelled unless Aimlite is reimbursed for work already performed and for special material purchased by our company. If an order is cancelled after shipment or if delivery is refused at destination, all warehouse, delivery, and return costs will be charged to the customer.

10. POLES

Shipment and Storage: Shipment of goods must be made within thirty (30) days of completion, or be subject to a stocking charge. Poles not erected immediately must be unwrapped by purchaser and stored above ground. AimLite is not responsible for erosion to finish caused by improper storage.



NOTES



AimLite

2233 rue de l'Aviation,
Dorval QC
H9P2X6, CA

T 514 227-1288
TF 1 866 348-2374
in f o y AimLite.com

2024-02-22