

SPW

SPECIAL WORDING OPTION

CUSTOM WORDING OR GRAPHIC IMAGE

BLACK OUT & WHITE OUT

CUSTOM COLOURS



The SPW special wording option can be used in a variety of applications. From ADA compliant signs to corporate logos, nearly any custom wording or graphic can be applied to an AimLite exit sign series.

FEATURES & SPECIFICATIONS

OPTIONS

- Special wording signs can be combined with additional options as applications require. The AC Flasher option will cause the sign to illuminate and then darken at a rate of about once per second. The black out option adds a opaque, dark panel over the special wording. The panel masks the special wording until the sign is illuminated, thereby preventing false notification of the sign's message. Similarly, the white out option places a white, opaque panel over the lettering to achieve the same result. All of these options are typically added to normally off signs only.

LIGHT SOURCE

- Typical special wording signs utilize LED light source. Special wording signs can utilize any combination of colours, contact AimLite with your specifications.

Data is based upon tests performed in a controlled environment. Actual performance can vary depending on operating conditions. All products are subject to change or may be discontinued any time without notice.

ORDERING GUIDE

SERIES	NO. OF FACES	MOUNTING	COLOUR	DC VOLTAGE	AC VOLTAGE	SPECIAL WORDING CODE	COLOUR CODE	OPTIONS
RPN	1- SINGLE FACE	BLANK - UNIVERSAL MOUNT	BLK - BLACK WHT - WHITE	UNVDC - UNIVERSAL DC BACKUP VOLTAGE: 6,12 OR 24	BLANK - 120/277/347	SEE LIST BELOW	GW - GREEN ON WHITE GB - GREEN ON BLACK WG - WHITE ON GREEN RW - RED ON WHITE RB - RED ON BLACK	BLANK - BLANK WD - WHITEOUT BD - BLACK OUT
RPST	1- SINGLE FACE	BLANK - UNIVERSAL MOUNT	WHT - WHITE (STANDARD)	UNVDC - UNIVERSAL DC BACKUP VOLTAGE: 6,12 OR 24	BLANK - 120/277/347	SEE LIST BELOW	GW - GREEN ON WHITE GB - GREEN ON BLACK WG - WHITE ON GREEN	BLANK - BLANK WD - WHITEOUT BD - BLACK OUT
RPALW	1- SINGLE FACE	M - UNIVERSAL MOUNT	WHT - WHITE (STANDARD)	UNVDC - UNIVERSAL DC BACKUP VOLTAGE: 6,12 OR 24	BLANK - 120/277/347	SEE LIST BELOW	GW - GREEN ON WHITE GB - GREEN ON BLACK WG - WHITE ON GREEN	BLANK - BLANK WD - WHITEOUT BD - BLACK OUT
RPEL	1- SINGLE FACE	M - UNIVERSAL MOUNT	WHT - WHITE (STANDARD) BLK - BLACK BSH - BRUSHED ALUMINIUM	UNVDC - UNIVERSAL DC BACKUP VOLTAGE: 6,12 OR 24	BLANK - 120/277/347	SEE LIST BELOW	GW - GREEN ON WHITE GB - GREEN ON BLACK WG - WHITE ON GREEN	BLANK - BLANK WD - WHITEOUT BD - BLACK OUT
RPVR	1- SINGLE FACE	CM - CEILING MOUNT WM - WALL MOUNT EM - END MOUNT	WHT - WHITE (STANDARD)	UNVDC - UNIVERSAL DC BACKUP VOLTAGE: 6,12 OR 24	BLANK - 120/277/347	SEE LIST BELOW	GW - GREEN ON WHITE GB - GREEN ON BLACK WG - WHITE ON GREEN	BLANK - BLANK WD - WHITEOUT BD - BLACK OUT
EXST - EXIT SXST - SORTIE	1- SINGLE FACE	M - UNIVERSAL MOUNT	WHT - WHITE (STANDARD)	UNVDC - UNIVERSAL DC BACKUP VOLTAGE: 6,12 OR 24	BLANK - 120/347	SEE LIST BELOW	RW - RED ON WHITE RB - RED ON BLACK	BLANK - BLANK WD - WHITEOUT BD - BLACK OUT
EXAL - (EXIT) SXAL - (SORTIE)	1- SINGLE FACE	M - UNIVERSAL MOUNT	WHT - WHITE (STANDARD)	UNVDC - UNIVERSAL DC BACKUP VOLTAGE: 6,12 OR 24	BLANK - 120/347	SEE LIST BELOW	RW - RED ON WHITE RB - RED ON BLACK	BLANK - BLANK WD - WHITEOUT BD - BLACK OUT

BLACK OUT OPTION

NORMAL / OFF CONDITION



ACTIVATED / ON CONDITION



WHITE OUT OPTION

NORMAL / OFF CONDITION



ACTIVATED / ON CONDITION



SPECIAL WORDING EXAMPLES

Special wording signs can be customised.
There are some examples of our possibilities.

- AREA OF EVACUATION
- AREA OF REFUGE
- AREA OF RESCUE
- ASSISTANCE
- ATM
- ATTENTION ZONE DE RADIATION
- BAR
- BARRIER FREE ENVIRONMENT
- BEAM IN USE
- BEAM ON
- BRIEFING IN PROGRESS
- CAUTION MAGNET IN USE
- CAUTION MAGNET IN USE
- CAUTION STEP DOWN
- CAUTION STEPS
- CLASSIFIED BRIEFING DO NOT ENTER
- CLOSED
- COAT ROOM
- CRY ROOM
- CT IN USE
- DANGER
- DANGER HIGH VOLTAGE
- DARK ROOM
- DARKROOM ENTRANCE
- DARKROOM IN USE
- DÉFENSE D'ENTRER
- DO NO ENTER – IN USE
- DO NOT ENTER
- DO NOT ENTER – PAINTING IN PROGRESS
- DO NOT ENTER CONFERENCE IN SESSION
- DO NOT EXIT
- DO NOT OPEN
- DO NOT USE ELEVATOR
- DOOR
- DOWN ESLACATOR
- ELEVATOR
- EMERGENCY EXIT
- EMERGENCY EXIT ONLY
- ENTRANCE
- ESCALERA
- EXIT
- FILE READY
- FIRE
- FIRE ALARM
- FIRE ESCAPE
- FIRE EXIT ONLY
- FIRE HOSE
- FIRE RESCUE
- FIRST AID
- FULL
- HALO DISCHARGE
- HALO DISCHARGE – DO NOT ENTER
- HANDICAP ACCESSIBLE ROUTE
- HANDICAP ELEVATOR
- HELP
- HOMBRES
- HOSE
- IN USE
- INTERMISSION
- JURY ON DUTY
- LADIES
- LASER IN USE
- LASER IN USE DO NOT ENTER
- LASER ON
- LASTER/X-RAY IN USE
- LOBBY
- MAGNET ON
- MAIL IS UP
- MANDATORY MASK
- MEETING IN PROGRESS
- MEN
- MRI IN USE
- MUJERES
- NEEDS ATTENTION
- NITROGEN ATMOSPHERE – DO NOT ENTER
- NO ENTRE
- NO ENTRY
- NO ENTRY – IN USE
- NO EXIT
- NO SMOKING
- NOT AN EXIT
- OCCUPIED
- OFFICE
- ON AIR
- ON GENERATOR
- ON THE AIR
- OPEN
- OPERACION
- OPERANDO
- PAINTING IN PROCESS
- POINT OF RESCUE
- QUIET
- QUIET PLEASE – SERVICE IN SESSION
- QUIET PLEASE COURT IN SESSION QUOROFAND EN USO
- RADIATION IN USE
- RADIATION ON
- RAYON X EN COURS
- RAYON-X
- READY
- RECORDING IN SESSION
- RESPIRATOR REQUIRED
- REST ROOM
- REST ROOMS
- ROOM IN USE
- ROOM IN USE - DO NOT ENTER
- SALIDA
- SALIDA DE EMERGENCIA
- SALLE OPERATION EN UTILISATION
- SOCIAL DISTANCE LOGO [2M/6FT OR 1M/3FT
- SLEEP STUDY IN PROGRESS
- SORTIE
- STAIRS
- STEP DOWN
- STEP UP
- STEPS
- STOP
- STUDIO ON AIR – EN ONDE
- SUPPRESSION GAS DISCHARGE
- TAXI
- TELEPHONE
- TEST IN PROGRESS
- TIME MACHINE
- TO EXIT
- TOILET IN USE
- TOILET ROOM ASSISTANCE
- TUB IN USE
- TV STUDIO IN USE
- UNCLEARED PERSONNEL IN AREA
- UP ELEVATOR
- UV IN USE
- UV LIGHT IN USE
- UV RADIATION
- WARNING
- WARNING DO NOT ENTER
- WARNING DO NOT ENTER LOW OXYGEN
- WARNING GASES PRESENT
- WOMEN
- X-RAY
- X-RAY IN USE
- X-RAY IN USE – DO NOT ENTER
- X-RAY ON
- XRAY ON – DO NOT ENTER
- X-RAY ROOM IN USE
- X-RAY WARNING